

Anderlon wheel brushes can be used in off-hand applications or in automated equipment. Typical applications include:

- Deburr edges on aluminum extrusions, machined and powdered metal components
- Edge blending of ferrous and non-ferrous parts
- Surface refinement of stainless steel, aluminum and brass

Refer to page 40
for Wheel Brush
Adapters.



20615

Refer to page 31
for Wheel Brush
Operating
Parameters.

Composite Hub Wheels - Crimped Silicon Carbide

| Brush O.D. | Brush I.D. | Filament Size/Grit | Face Width | Width at Faceplate | Trim Length | Max. RPM | Catalog Number | Std. Pack | Item Number | List Price Ea. |
|------------|------------|--------------------|------------|--------------------|-------------|----------|----------------|-----------|-------------|----------------|
| 6 | 2 | .018/500 | 1 | 1-1/16 | 1-1/4 | 3,600 | CHW6 | 1 | 20600 | \$76.73 |
| | | .022/320 | | | | | | | 20605 | 76.73 |
| | | .022/120 | | | | | | | 20610 | 76.73 |
| | | .035/180 | | | | | | | 20615 | 76.73 |
| | | .040/120 | | | | | | | 20620 | 76.73 |
| | | .040/80 | | | | | | | 20625 | 76.73 |
| 8 | 2 | .022/320 | 1 | 3/4 | 2-1/4 | 3,600 | CHW8 | 2 | 20640 | 100.97 |
| | | .022/120 | | | | | | | 20645 | 100.97 |
| | | .035/180 | | | | | | | 20650 | 100.97 |
| | | .040/120 | | | | | | | 20655 | 100.97 |
| | | .040/80 | | | | | | | 20660 | 100.97 |
| | | | | | | | | | 20670 | 142.29 |
| 10 | 2 | .035/180 | 1 | 1-1/16 | 3 | 3,600 | CHW10 | 2 | 20675 | 142.29 |
| 10 | 3-1/4 | .022/320 | 1 | 13/16 | 2-5/16 | 1,800 | CHW10 | 2 | 20690 | 131.73 |
| | | .035/180 | | | | | | | 20692 | 131.73 |
| | | .040/120 | | | | | | | 20694 | 131.73 |
| | | .040/80 | | | | | | | 20696 | 131.73 |
| 10 | 5-1/4 | .022/120 | 1 | 15/16 | 1-5/8 | 1,800 | CHW10 | 2 | 20706 | 154.27 |
| | | .040/80 | | | | | | | 20700 | 154.27 |
| 12 | 3-1/4 | .022/320 | 1-1/8 | 13/16 | 3-5/16 | 1,800 | CHW12 | 2 | 20710 | 145.87 |
| | | .035/180 | | | | | | | 20712 | 145.87 |
| | | .040/120 | | | | | | | 20714 | 145.87 |
| | | .040/80 | | | | | | | 20716 | 145.87 |
| 12 | 4-1/4 | .022/320 | 1 | 15/16 | 3-1/8 | 1,800 | CHW12 | 2 | 20730 | 165.36 |
| | | .035/180 | | | | | | | 20732 | 165.36 |
| | | .040/120 | | | | | | | 20734 | 165.36 |
| 12 | 5-1/4 | .040/80 | 1-1/8 | 15/16 | 2-3/4 | 1,800 | CHW12 | 2 | 20720 | 174.07 |
| 12 | 7-1/4 | .040/120 | 1 | 15/16 | 1-5/8 | 1,800 | CHW12 | 2 | 20825 | 178.79 |
| 14 | 5-1/4 | .022/320 | 1-1/8 | 15/16 | 3-3/4 | 1,800 | CHW14 | 2 | 20740 | 211.68 |
| | | .035/180 | | | | | | | 20745 | 211.68 |
| | | .040/120 | | | | | | | 20750 | 211.68 |
| | | .040/80 | | | | | | | 20755 | 211.68 |
| 14 | 5-1/4-2 | .040/80 | 1-1/8 | 1-1/16 | 3-3/4 | 1,800 | CHW14 | 2 | 20758+ | 230.03 |

★ Same density as a standard 5-1/4 I.D. brush, but requires no adapter for mounting on a 2 shaft.

Rectangular Filament Silicon Carbide (.045 x .090)

| Brush O.D. | Brush I.D. | Grit Size | Face Width | Width at Faceplate | Trim Length | Max. RPM | Catalog Number | Std. Pack | Item Number | List Price Ea. |
|------------|------------|-----------|------------|--------------------|-------------|----------|----------------|-----------|-------------|----------------|
| 14 | 5-1/4 | 80 | 1-1/8 | 1-1/16 | 3-3/4 | 1,800 | CHWR14 | 2 | 20855 | \$301.06 |



20785

Replacement Sections for Sinjet & Carbide Honing Machines Crimped Silicon Carbide

| Diam. | Filament Size/Grit | Face Width | Width at Faceplate | Trim Length | Max. RPM | Catalog Number | Std. Pack | Item Number | List Price Ea. |
|-------------------|--------------------|------------|--------------------|-------------|----------|----------------|-----------|-------------|----------------|
| 10-7/8 (275mm) | .022/320 | 1 | 15/16 | 2-1/2 | 1,800 | CHW10-7/8 | 2 | 20785 | \$162.15 |
| | .035/180 | | | | | | | 20795 | 162.15 |

Straight Silicon Carbide

| Diam. | Filament Size/Grit | Face Width | Width at Faceplate | Trim Length | Max. RPM | Catalog Number | Std. Pack | Item Number | List Price Ea. |
|--------|--------------------|------------|--------------------|-------------|----------|----------------|-----------|-------------|----------------|
| 10-7/8 | .040/120 | 1 | 15/16 | 2-1/2 | 1,800 | CHWS10-7/8 | 2 | 20890 | \$176.47 |

Rectangular Silicon Carbide (.045 x .090)

| Diam. | Grit Size | Face Width | Width at Faceplate | Trim Length | Max. RPM | Catalog Number | Std. Pack | Item Number | List Price Ea. |
|-------------------|-----------|------------|--------------------|-------------|----------|----------------|-----------|-------------|----------------|
| 10-7/8 (275mm) | 180 | 1 | 15/16 | 2-1/2 | 1,800 | CHWR10-7/8 | 2 | 20860 | \$233.75 |
| | 120 | | | | | | | 20870 | 233.75 |
| | 80 | | | | | | | 20880 | 233.75 |